



**INDIAN RIVER COUNTY RESIDENTIAL GARAGE DOOR FORM**

JOB ADDRESS \_\_\_\_\_  
 WIND SPEED \_\_\_\_\_  
 EXPOSURE \_\_\_\_\_

**This form is for RESIDENTIAL GARAGE DOORS in  
 One and Two Family Dwellings Only**

GARAGE DOORS INSTALLED IN BUILDINGS WITH A  
 MEAN ROOF HEIGHT OF 30' OR LESS LOCATED IN EXPOSURES B & C

**GARAGE DOORS**

Table R301.2 [4]

**COMPONENTS AND CLADDING WORST CASE DESIGN PRESSURE [PSF]**

		Basic Wind Speed V (mph - 3 second gust)								120		130		140	
Width (ft)	Height (ft)									+	-	+	-	+	-
<b>EXPOSURE-B</b>															
9	7									22.8	-25.8	26.7	-30.2	31	-35.1
16	7									21.8	-24.3	25.6	-28.5	29.7	-33.1
<b>EXPOSURE-C</b>															
9	7									27.6	-31.2	32.3	-36.5	37.5	-42.5
16	7									26.4	-29.4	31	-34.5	35.9	-40

NOTES: SECURE EXISTING BUCKS PER PRODUCT APPROVAL OR DESIGN PROFESSIONAL INSTRUCTIONS  
 PRIOR TO INSTALLING THE DOOR. HAVE PRODUCT APPROVALS AVAILABLE AT TIME OF INSPECTION.

**Glazing in garage doors must comply with R301.2.1.2  
 (Glazing Must be impact resistant or shuttered)**